



Certificate of Analysis

Powered by Confident Cannabis
1 of 1

VidaCap
8701 E Vista Bonita Dr Ste 210
Scottsdale, AZ 85255

Sample: 2109TSF0021.10816
Strain: Apple Cider Vinegar & Myco Matrix Immunity Blend
Lot #: 00423;
Sample Received: 09/07/2021; Report Generated: 09/10/2021

Red Apple w/ Pectin, 500mg Apple Cider Vinegar, & 125mg Myco Matrix Immunity Blend


Edible, Soft Chew
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Microbials

Pass

Analyte	Mass	LOQ	Limit	Status
Total Aerobic	<LOQ	40	100000	Pass
Aspergillus flavus	NR	1	1	NT
Aspergillus fumigatus	NR	1	1	NT
Aspergillus niger	NR	1	1	NT
Aspergillus terreus	NR	1	1	NT
Total Enterobacteriaceae	<LOQ	40	1000	Pass
Total Coliforms	<LOQ	40	1000	Pass
Pathogenic E. Coli	<LOQ		1	Pass
Salmonella	<LOQ		1	Pass
Total Yeast & Mold	<LOQ	40	10000	Pass



The photo on this report is of a sample collected by the lab and may vary from the final packaging

Test performed via Hardy chromogenic dry and agar plates. ND = Non Detect; LOQ = Limit of Quantitation; Tested Microbial Endpoints: Total Viable Aerobic Bacteria, Total Yeast and Mold, Total Coliforms, Enterobacteriaceae, Aspergillus (flavus, fumigatus, niger and terreus), E.coli pathogenic strains, and Salmonella spp. Microbial testing performed per SOP-000004 Method. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.

10 Greg St
Sparks, NV
(844) 374-5227
www.374labs.com



Dr. Jeff Angermann
Scientific Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by State of Nevada. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Potency performed per SOP-000001. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.